

AASHTO Classification System

Table 5.1 Classification of Highway Subgrade Materials

General classification	Granular materials (35% or less of total sample passing No. 200)						
	A-1			A-2			
Group classification	A-1-a	A-1-b	A-3	A-2-4	A-2-5	A-2-6	A-2-7
Sieve analysis							
(percentage passing)							
No. 10	50 max.						
No. 40	30 max.	50 max.	51 min.				
No. 200	15 max.	25 max.	10 max.	35 max.	35 max.	35 max.	35 max.
Characteristics of fraction passing No. 40							
Liquid limit				40 max.	41 min.	40 max.	41 min.
Plasticity index	6 max.		NP	10 max.	10 max.	11 min.	11 min.
Usual types of significant constituent materials	Stone fragments, gravel, and sand		Fine sand	Silty or clayey gravel and sand			
General subgrade rating				Excellent to good			

General classification	Silt-clay materials (more than 35% of total sample passing No. 200)			
Group classification	A-4	A-5	A-6	A-7 A-7-5 ^a A-7-6 ^b
Sieve analysis (percentage passing)				
No. 10				
No. 40				
No. 200	36 min.	36 min.	36 min.	36 min.
Characteristics of fraction passing No. 40				
Liquid limit	40 max.	41 min.	40 max.	41 min.
Plasticity index	10 max.	10 max.	11 min.	11 min.
Usual types of significant constituent materials	Silty soils		Clayey soils	
General subgrade rating	Fair to poor			

^aFor A-7-5, $PI \leq LL - 30$

^bFor A-7-6, $PI > LL - 30$

Group Index (GI)

$$GI = (F_{200} - 35)[0.2 + 0.005(LL - 40)] + 0.01(F_{200} - 15)(PI - 10)$$

Unified Soil Classification System

Criteria for assigning group symbols				Group symbol
Coarse-grained soils More than 50% of retained on No. 200 sieve	Gravels More than 50% of coarse fraction retained on No. 4 sieve	Clean Gravels	$C_u \geq 4$ and $1 \leq C_c \leq 3^c$	GW
		Less than 5% fines ^a	$C_u < 4$ and/or $C_c < 1$ or $C_c > 3^c$	GP
		Gravels with Fines	$PI < 4$ or plots below "A" line (Figure 5.3)	GM
		More than 12% fines ^{a,d}	$PI > 7$ and plots on or above "A" line (Figure 5.3)	GC
	Sands 50% or more of coarse fraction passes No. 4 sieve	Clean Sands	$C_u \geq 6$ and $1 \leq C_c \leq 3^c$	SW
		Less than 5% fines ^b	$C_u < 6$ and/or $C_c < 1$ or $C_c > 3^c$	SP
		Sands with Fines	$PI < 4$ or plots below "A" line (Figure 5.3)	SM
		More than 12% fines ^{b,d}	$PI > 7$ and plots on or above "A" line (Figure 5.3)	SC
Fine-grained soils 50% or more passes No. 200 sieve	Silts and clays Liquid limit less than 50	Inorganic	$PI > 7$ and plots on or above "A" line (Figure 5.3) ^e $PI < 4$ or plots below "A" line (Figure 5.3) ^e	CL ML
		Organic	$\frac{\text{Liquid limit—oven dried}}{\text{Liquid limit—not dried}} < 0.75$; see Figure 5.3; OL zone	OL
	Silts and clays Liquid limit 50 or more	Inorganic	PI plots on or above "A" line (Figure 5.3) PI plots below "A" line (Figure 5.3)	CH MH
		Organic	$\frac{\text{Liquid limit—oven dried}}{\text{Liquid limit—not dried}} < 0.75$; see Figure 5.3; OH zone	OH
	Highly organic soils Primarily organic matter, dark in color, and organic odor			Pt

^aGravels with 5 to 12% fine require dual symbols: GW-GM, GW-GC, GP-GM, GP-GC.


^bSands with 5 to 12% fines require dual symbols: SW-SM, SW-SC, SP-SM, SP-SC.

$$^c C_u = \frac{D_{60}}{D_{10}}; \quad C_c = \frac{(D_{30})^2}{D_{60} \times D_{10}}$$


^dIf $4 \leq PI \leq 7$ and plots in the hatched area in Figure 5.3, use dual symbol GC-GM or SC-SM.


^eIf $4 \leq PI \leq 7$ and plots in the hatched area in Figure 5.3, use dual symbol CL-ML.

Plasticity chart



Group symbol		Group name
GW	<15% sand	Well-graded gravel
	≥15% sand	Well-graded gravel with sand
GP	<15% sand	Poorly graded gravel
	≥15% sand	Poorly graded gravel with sand
GW-GM	<15% sand	Well-graded gravel with silt
	≥15% sand	Well-graded gravel with silt and sand
GW-GC	<15% sand	Well-graded gravel with clay (or silty clay)
	≥15% sand	Well-graded gravel with clay and sand (or silty clay and sand)
GP-GM	<15% sand	Poorly graded gravel with silt
	≥15% sand	Poorly graded gravel with silt and sand
GP-GC	<15% sand	Poorly graded gravel with clay (or silty clay)
	≥15% sand	Poorly graded gravel with clay and sand (or silty clay and sand)
GM	<15% sand	Silty gravel
	≥15% sand	Silty gravel with sand
GC	<15% sand	Clayey gravel
	≥15% sand	Clayey gravel with sand
GC-GM	<15% sand	Silty clayey gravel
	≥15% sand	Silty clayey gravel with sand
SW	<15% gravel	Well-graded sand
	≥15% gravel	Well-graded sand with gravel
SP	<15% gravel	Poorly graded sand
	≥15% gravel	Poorly graded sand with gravel
SW-SM	<15% gravel	Well-graded sand with silt
	≥15% gravel	Well-graded sand with silt and gravel
SW-SC	<15% gravel	Well-graded sand with clay (or silty clay)
	≥15% gravel	Well-graded sand with clay and gravel (or silty clay and gravel)
SP-SM	<15% gravel	Poorly graded sand with silt
	≥15% gravel	Poorly graded sand with silt and gravel
SP-SC	<15% gravel	Poorly graded sand with clay (or silty clay)
	≥15% gravel	Poorly graded sand with clay and gravel (or silty clay and gravel)
SM	<15% gravel	Silty sand
	≥15% gravel	Silty sand with gravel
SC	<15% gravel	Clayey sand
	≥15% gravel	Clayey sand with gravel
SC-SM	<15% gravel	Silty clayey sand
	≥15% gravel	Silty clayey sand with gravel





$$e = \frac{V_V}{V_S}$$

$$n = \frac{V_V}{V}$$

$$S = \frac{V_w}{V_V}$$

$$\omega = \frac{M_w}{M_s} * 100 \% \qquad \omega = \frac{W_w}{W_s} * 100 \%$$

$$\gamma_d = \frac{\gamma_{wet}}{1+\omega}$$

$$G_s = \frac{W_s}{V_s * \gamma_w}$$

$$n = \frac{e}{1+e}$$

$$S \ e = \ \omega * G_s$$

$$\gamma = \frac{(Se+G_s)}{1+e} * \gamma_w$$

$$\gamma_d = \frac{G_s}{1+e} * \gamma_w$$

$$\gamma = G_s * \gamma_w * (1 - n) * (1 + \omega)$$

$$\gamma = \rho * g$$

$$L.I = \frac{\omega_n-P.L}{L.L-P.L}$$

$$K = \frac{Q^*L}{A^*h^*t}$$

$$K = 2.303 * \frac{a^*L}{A^*t} \log_{10} \frac{h_1}{h_2}$$

Table 10.9 Variation of I_3 with m and n [Eq. (10.31)]

n	m									
	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	1.0
0.1	0.0047	0.0092	0.0132	0.0168	0.0198	0.0222	0.0242	0.0258	0.0270	0.0279
0.2	0.0092	0.0179	0.0259	0.0328	0.0387	0.0435	0.0474	0.0504	0.0528	0.0547
0.3	0.0132	0.0259	0.0374	0.0474	0.0559	0.0629	0.0686	0.0731	0.0766	0.0794
0.4	0.0168	0.0328	0.0474	0.0602	0.0711	0.0801	0.0873	0.0931	0.0977	0.1013
0.5	0.0198	0.0387	0.0559	0.0711	0.0840	0.0947	0.1034	0.1104	0.1158	0.1202
0.6	0.0222	0.0435	0.0629	0.0801	0.0947	0.1069	0.1168	0.1247	0.1311	0.1361
0.7	0.0242	0.0474	0.0686	0.0873	0.1034	0.1169	0.1277	0.1365	0.1436	0.1491
0.8	0.0258	0.0504	0.0731	0.0931	0.1104	0.1247	0.1365	0.1461	0.1537	0.1598
0.9	0.0270	0.0528	0.0766	0.0977	0.1158	0.1311	0.1436	0.1537	0.1619	0.1684
1.0	0.0279	0.0547	0.0794	0.1013	0.1202	0.1361	0.1491	0.1598	0.1684	0.1752
1.2	0.0293	0.0573	0.0832	0.1063	0.1263	0.1431	0.1570	0.1684	0.1777	0.1851
1.4	0.0301	0.0589	0.0856	0.1094	0.1300	0.1475	0.1620	0.1739	0.1836	0.1914
1.6	0.0306	0.0599	0.0871	0.1114	0.1324	0.1503	0.1652	0.1774	0.1874	0.1955
1.8	0.0309	0.0606	0.0880	0.1126	0.1340	0.1521	0.1672	0.1797	0.1899	0.1981
2.0	0.0311	0.0610	0.0887	0.1134	0.1350	0.1533	0.1686	0.1812	0.1915	0.1999
2.5	0.0314	0.0616	0.0895	0.1145	0.1363	0.1548	0.1704	0.1832	0.1938	0.2024
3.0	0.0315	0.0618	0.0898	0.1150	0.1368	0.1555	0.1711	0.1841	0.1947	0.2034
4.0	0.0316	0.0619	0.0901	0.1153	0.1372	0.1560	0.1717	0.1847	0.1954	0.2042
5.0	0.0316	0.0620	0.0901	0.1154	0.1374	0.1561	0.1719	0.1849	0.1956	0.2044
6.0	0.0316	0.0620	0.0902	0.1154	0.1374	0.1562	0.1719	0.1850	0.1957	0.2045

1.2	1.4	1.6	1.8	2.0	2.5	3.0	4.0	5.0	6.0
0.0293	0.0301	0.0306	0.0309	0.0311	0.0314	0.0315	0.0316	0.0316	0.0316
0.0573	0.0589	0.0599	0.0606	0.0610	0.0616	0.0618	0.0619	0.0620	0.0620
0.0832	0.0856	0.0871	0.0880	0.0887	0.0895	0.0898	0.0901	0.0901	0.0902
0.1063	0.1094	0.1114	0.1126	0.1134	0.1145	0.1150	0.1153	0.1154	0.1154
0.1263	0.1300	0.1324	0.1340	0.1350	0.1363	0.1368	0.1372	0.1374	0.1374
0.1431	0.1475	0.1503	0.1521	0.1533	0.1548	0.1555	0.1560	0.1561	0.1562
0.1570	0.1620	0.1652	0.1672	0.1686	0.1704	0.1711	0.1717	0.1719	0.1719
0.1684	0.1739	0.1774	0.1797	0.1812	0.1832	0.1841	0.1847	0.1849	0.1850
0.1777	0.1836	0.1874	0.1899	0.1915	0.1938	0.1947	0.1954	0.1956	0.1957
0.1851	0.1914	0.1955	0.1981	0.1999	0.2024	0.2034	0.2042	0.2044	0.2045
0.1958	0.2028	0.2073	0.2103	0.2124	0.2151	0.2163	0.2172	0.2175	0.2176
0.2028	0.2102	0.2151	0.2184	0.2206	0.2236	0.2250	0.2260	0.2263	0.2264
0.2073	0.2151	0.2203	0.2237	0.2261	0.2294	0.2309	0.2320	0.2323	0.2325
0.2103	0.2183	0.2237	0.2274	0.2299	0.2333	0.2350	0.2362	0.2366	0.2367
0.2124	0.2206	0.2261	0.2299	0.2325	0.2361	0.2378	0.2391	0.2395	0.2397
0.2151	0.2236	0.2294	0.2333	0.2361	0.2401	0.2420	0.2434	0.2439	0.2441
0.2163	0.2250	0.2309	0.2350	0.2378	0.2420	0.2439	0.2455	0.2461	0.2463
0.2172	0.2260	0.2320	0.2362	0.2391	0.2434	0.2455	0.2472	0.2479	0.2481
0.2175	0.2263	0.2324	0.2366	0.2395	0.2439	0.2460	0.2479	0.2486	0.2489
0.2176	0.2264	0.2325	0.2367	0.2397	0.2441	0.2463	0.2482	0.2489	0.2492